

LIFE HAPPENS

AND ADVATE® WILL BE THERE WHEN IT DOES


[Antihemophilic Factor (Recombinant)]
Advate.com

Brought to you by Takeda

Not an actual patient

REAL LIFE. REAL BLEED PROTECTION.*

HEMiD

*In clinical trials, ADVATE demonstrated the ability to help prevent bleeding episodes using a prophylaxis regimen.

ABOUT THE ADVATE HEMiD PATIENT PROGRAM

Takeda's ADVATE HEMiD program features a story from a real ADVATE patient living with hemophilia A combined with a presentation from a Takeda Senior Clinical Specialist that expands on prophylactic treatment studies and ADVATE's legacy of proven bleed protection*. Dive into real patient stories that showcase how when life happens, ADVATE will be there.

Join us at our next event:

Date:

Time:

Speaker(s):

RSVP:

Attendees and Guests

This program is for U.S. patients and caregivers only and is not intended for healthcare professionals. All patient attendees must be of an appropriate age for the disease state and/or products being discussed. Patient attendees may bring up to two caregivers/family members. Attendees under the age of 18 must register with and be accompanied by an adult. Attendee expenses are not reimbursable. This program is for educational purposes only and is not a substitute for the advice provided by your healthcare provider. Consult your healthcare professional for your medical concerns.

ADVATE Important Information

What is ADVATE?

- ADVATE® is a medicine used to replace clotting factor (factor VIII or antihemophilic factor) that is missing in people with hemophilia A (also called "classic" hemophilia).
- ADVATE is used to prevent and control bleeding in adults and children (0-16 years) with hemophilia A. Your healthcare provider (HCP) may give you ADVATE when you have surgery.
- ADVATE can reduce the number of bleeding episodes in adults and children (0-16 years) when used regularly (prophylaxis).

ADVATE is not used to treat von Willebrand disease.

DETAILED IMPORTANT RISK INFORMATION

Who should not use ADVATE?

Do not use ADVATE if you:

- Are allergic to mice or hamsters.
- Are allergic to any ingredients in ADVATE.

Tell your HCP if you are pregnant or breastfeeding because ADVATE may not be right for you.

What should I tell my HCP before using ADVATE?

Tell your HCP if you:

- Have or have had any medical problems.
- Take any medicines, including prescription and non-prescription medicines, such as over-the-counter medicines, supplements or herbal remedies.
- Have any allergies, including allergies to mice or hamsters.
- Are breastfeeding. It is not known if ADVATE passes into your milk and if it can harm your baby.
- Are or become pregnant. It is not known if ADVATE may harm your unborn baby.
- Have been told that you have inhibitors to factor VIII (because ADVATE may not work for you).

What important information do I need to know about ADVATE?

- You can have an allergic reaction to ADVATE. Call your HCP right away and stop treatment if you get a rash or hives, itching, tightness of the throat, chest pain or tightness, difficulty breathing, lightheadedness, dizziness, nausea or fainting.
- Do not attempt to infuse yourself with ADVATE unless you have been taught by your HCP or hemophilia center.

What else should I know about ADVATE and Hemophilia A?

- Your body may form inhibitors to factor VIII. An inhibitor is part of the body's normal defense system. If you form inhibitors, it may stop ADVATE from working properly. Talk with your HCP to make sure you are carefully monitored with blood tests for the development of inhibitors to factor VIII.

What are possible side effects of ADVATE?

- Side effects that have been reported with ADVATE include: cough, headache, joint swelling/aching, sore throat, fever, itching, unusual taste, dizziness, hematoma, abdominal pain, hot flashes, swelling of legs, diarrhea, chills runny nose/congestion, nausea/vomiting, sweating, and rash. Tell your HCP about any side effects that bother you or do not go away or if your bleeding does not stop after taking ADVATE.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please [click here](#) for ADVATE full Prescribing Information and discuss with your HCP.

This event is brought to you by Takeda in partnership with:

